

DEPARTMENT: Prosthodontics 5/11/2019 DATE: 08/14/24

1. FLOOR CLEANING

TIME OF CLEANING	HOUSE KEEPING INCHARGE SIGNATURE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
MORNING		
NOON		
A: 3:00 am	12:00 pm	<i>[Signature]</i>

2. CLEANING - DENTAL CHAIR

CHEMICAL / DISINFECTANT USED	CLEANED AFTER EACH PATIENT (YES/NO)	ATTENDER INCHARGE (SIGNATURE)	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
			<i>[Signature]</i>
de-rubal.			

3. MANUAL CLEANING OF INSTRUMENTS

SIN.No.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
1	DP sets	Disinfectant		<i>[Signature]</i>	
2	UG sets	Disinfectant			<i>[Signature]</i>
3	PG sets	Disinfectant			<i>[Signature]</i>
4					

[Signature]
1

4. STERILIZATION LOG SHEET

Sl.No	SET OF INSTRUMENTS	TIME			TEMP. °C / °F	PRESSURE	TEMP SENSITIVE INDICATOR (COLOUR CHANGE OBSERVED) (Y/N)	OPERATORS SIGNATURE	SIGNATURE OF THE STAFF INCHARGE/HICC MEMBER.
		START	END	CYCLE LENGTH					
1	D P SETS	8:30am	9:30am				Y		
2	Wg SETS	8:30am	9:30am				Y		
3	P G SETS	8:30am	9:30am				Y		
4									

[Handwritten signature]

NO. COLOUR CODE AND TYPE OF CONTAINER	TYPE OF WASTE	PROPER DISPOSAL OF WASTE YES/NO	HANDED OVER MARIDI ECO INDUSTRIES YES/NO, TIME
YELLOW-PLASTIC BAG(INCINERABLE WASTE)	INFECTED WASTE, ANATOMICAL PARTS AND LAB WASTE- HUMAN TISSUES-BODY PARTS/PLACENTA, NAILS (HANDS & TOES), FETUS (WITHIN 12 WEEKS OF PREGNANCY), SPECIMENS, SURGICAL WASTE, COTTON & BANDAGES, LINEN & DRESSINGS, SOLID PLASTER (POP) & CASTS, BEDDINGS, SANITARY NAPKINS/CLOTHS, DISPOSABLE DIAPERS, EAR BUDS, DISCARDED MEDICINES	Yes	Yes
RED-PLASTIC BAG (AUTOCLAVE WASTE)	DISPOSABLE ITEMS-PLASTICS, USED PLASTIC MATERIAL, TUBINGS, CATHETERS, I-V SETS, SYRINGES WITHOUT NEEDLES, GLOVES, BLOOD BAGS, APRONS, MASKS, URINE BAGS	Yes	Yes
WHITE-PLASTIC BOX (SHARPS)	SHARPS-VIALS, NEEDLES, CUT GLASSES, SCALPELS, SLIDES, NAILS (METALLIC), LANCETS, BLADES	Yes	Yes
WHITE PLASTIC BOX/CARDBOARD BOX WITH BLUE COLOUR MARKING (GLASSWARE)	GLASSWARE-BROKEN, DISCARDED AND CONTAMINATED GLASS INCLUDING MEDICINE VIALS/AMPULES, METALIC BODYIMPLANTS	Yes	Yes

AS PER MINISTRY OF ENVIRONMENT AND FOREST, GOVT. OF INDIA, NEW DELHI
CENTRAL/STATE POLLUTION CONTROL BOARDS & MUNICIPAL CORPORATIONS

DEPARTMENT: Oral Surgery

1. FLOOR CLEANING

DATE: 6/19/23

TIME OF CLEANING		HOUSE KEEPING INCHARGE SIGNATURE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
MORNING	NOON		
<u>8:30AM</u>	<input checked="" type="checkbox"/>	<u>Yashodana</u>	<u>[Signature]</u>


2. CLEANING - DENTAL CHAIR

CHEMICAL /DISINFECTANT USED	CLEANED AFTER EACH PATIENT (YES/NO)	ATTENDER INCHARGE (SIGNATURE)	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
<u>Bacillol</u>	<u>yes</u>	<u>[Signature]</u>	<u>[Signature]</u>

3. MANUAL CLEANING OF INSTRUMENTS


S/No.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE	SIGNATURE OF THE STAFF INCHARGE /HICC MEMBER.
1	<u>Hand mirrors & probes</u>	<u>Glutaldehyde</u>		<u>[Signature]</u>	<u>[Signature]</u>
2	<u>Kidney tray</u>	<u>Salecom 10H</u>		<u>[Signature]</u>	<u>[Signature]</u>
3	<u>Extraction forceps</u>				<u>[Signature]</u>
4					<u>[Signature]</u>

J. BIOMEDICAL WASTE HANDLING NEW RULES-2016

SL.NO.	COLOUR CODE AND TYPE OF CONTAINER	TYPE OF WASTE	PROPER DISPOSAL OF WASTE YES/NO	HANDED OVER TO MARIDI ECO INDUSTRIES YES/NO, TIME	SIGNATURE OF THE SUPERVISOR
1	YELLOW-PLASTIC BAG (INCINERABLE WASTE)	INFECTED WASTE, ANATOMICAL PARTS AND LAB WASTE- HUMAN TISSUES-BODY PARTS/PLACENTA, NAILS (HANDS & TOES), FETUS (WITHIN 12 WEEKS OF PREGNANCY), SPECIMENS, SURGICAL WASTE, COTTON & BANDAGES, LINEN & DRESSINGS, SOLID PLASTER (POP) & CASTS, BEDDINGS, SANITARY NAPKINS/CLOTHS, DISPOSABLE DIAPERS, EAR BUDS, DISCARDED MEDICINES	Yes	Yes	
2	RED-PLASTIC BAG (AUTOCLAVE WASTE)	DISPOSABLE ITEMS-PLASTICS, USED PLASTIC MATERIAL, TUBINGS, CATHETERS, I-V SETS, SYRINGES WITHOUT NEEDLES, GLOVES, BLOOD BAGS, APRONS, MASKS, URINE BAGS	Yes	Yes	
3	WHITE-PLASTIC BOX (SHARPS)	SHARPS-VIALS, NEEDLES, CUT GLASSES, SCALPELS, SLIDES, NAILS (METALLIC), LANCETS, BLADES	Yes	Yes	
4	WHITE PLASTIC BOX/CARDBOARD BOX WITH BLUE COLOUR MARKING (GLASSWARE)	GLASSWARE-BROKEN, DISCARDED AND CONTAMINATED GLASS INCLUDING MEDICINE VIALS/AMPULES, METALIC BODYIMPLANTS	Yes	Yes	

AS PER MINISTRY OF ENVIRONMENT AND FOREST, GOVT. OF INDIA, NEW DELHI
CENTRAL/STATE POLLUTION CONTROL BOARDS & MUNICIPAL CORPORATIONS

4. STERILIZATION LOG SHEET

S/NO	SET OF INSTRUMENTS	TIME			TEMP. °C / °F	PRESSURE	TEMP SENSITIVE INDICATOR (COLOUR CHANGE OBSERVED) (Y/N)	OPERATORS SIGNATURE	SIGNATURE OF THE STAFF INCHARGE/HIC MEMBER.
		START	END	CYCLE LENGTH					
1	Mouth mirror (prob)	8.30 AM	9.30 AM	1hour	120	120	yes	Shankar	
2	Kidney trays								
3	Extraction forceps								
	Wetten bin								
4	Impaction Impaler-1	8.30 AM	9.30 AM	1/2 h	120	120	yes	Flawin	



5. BIOMEDICAL WASTE HANDLING NEW RULES-2016

SL.NO.	COLOUR CODE AND TYPE OF CONTAINER	TYPE OF WASTE	PROPER DISPOSAL OF WASTE YES/NO	HANDED OVER TO MARIDI ECO INDUSTRIES YES/NO, TIME	SIGNATURE OF THE SUPERVISOR
1	YELLOW-PLASTIC BAG (INCINERABLE WASTE)	INFECTED WASTE, ANATOMICAL PARTS AND LAB WASTE- HUMAN TISSUES-BODY PARTS/PLACENTA, NAILS (HANDS & TOES), FETUS (WITHIN 12 WEEKS OF PREGNANCY), SPECIMENS, SURGICAL WASTE, COTTON & BANDAGES, LINEN & DRESSINGS, SOLID PLASTER (POP) & CASTS, BEDDINGS, SANITARY NAPKINS/CLOTHS, DISPOSABLE DIAPERS, EAR BUDS, DISCARDED MEDICINES	Yes	Yes	<i>[Signature]</i>
2	RED-PLASTIC BAG (AUTOCLAVE WASTE)	DISPOSABLE ITEMS- PLASTICS, USED PLASTIC MATERIAL, TUBINGS, CATHETERS, I-V SETS, SYRINGES WITHOUT NEEDLES, GLOVES, BLOOD BAGS, APRONS, MASKS, URINE BAGS	Yes	Yes	
3	WHITE-PLASTIC BOX (SHARPS)	SHARPS-VIALS, NEEDLES, CUT GLASSES, SCALPELS, SLIDES, NAILS (METALLIC), LANCETS, BLADES	Yes	Yes	
4	WHITE PLASTIC BOX/CARDBOARD BOX WITH BLUE COLOUR MARKING (GLASSWARE)	GLASSWARE-BROKEN, DISCARDED AND CONTAMINATED GLASS INCLUDING MEDICINE VIALS/AMPULES, METALIC BODYIMPLANTS	Yes	Yes	

AS PER MINISTRY OF ENVIRONMENT AND FORESTS, GOVT.OF INDIA, NEW DELHI
CENTRAL/STATE POLLUTION CONTROL BOARDS & MUNICIPAL CORPORATIONS

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

DEPARTMENT: Oral pathology. DATE: 11-7-2023

1. FLOOR CLEANING

TIME OF CLEANING		HOUSE KEEPING INCHARGE SIGNATURE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
MORNING	NOON	<i>[Signature]</i>	<i>[Signature]</i>
9:00 A.M.	2:00 P.M.		

2. CLEANING - DENTAL CHAIR

CHEMICAL /DISINFECTANT USED	CLEANED AFTER EACH PATIENT (YES/NO)	ATTENDER INCHARGE (SIGNATURE)	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
		<i>[Signature]</i>	

3. MANUAL CLEANING OF INSTRUMENTS

Sl.No.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE	SIGNATURE OF THE STAFF INCHARGE /HICC MEMBER.
1					
2					
3					
4				<i>[Signature]</i>	<i>[Signature]</i>


PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

4. STERILIZATION LOG SHEET

Sl.No	SET OF INSTRUMENTS	TIME			TEMP: C / °F	PRESSURE	TEMP.SENSITIVE INDICATOR (COLOUR CHANGE OBSERVED) (Y/N)	OPERATORS SIGNATURE	SIGNATURE THE STAFF INCHARGE MEMBER
		START	END	CYCLE LENGTH					
1									
2									
3									
4									

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

5. BIOMEDICAL WASTE HANDLING NEW RULES-2016

SL.NO.	COLOUR CODE AND TYPE OF CONTAINER	TYPE OF WASTE	PROPER DISPOSAL OF WASTE YES/NO	HANDED OVER TO MARIDI ECO INDUSTRIES YES/NO, TIME	SIGNATURE OF THE SUPERVISOR
1	YELLOW-PLASTIC BAG (INCINERABLE WASTE)	INFECTED WASTE, ANATOMICAL PARTS AND LAB WASTE- HUMAN TISSUES-BODY PARTS/PLACENTA, NAILS (HANDS & TOES), FETUS (WITHIN 12 WEEKS OF PREGNANCY), SPECIMENS, SURGICAL WASTE, COTTON & BANDAGES, LINEN & DRESSINGS, SOLID PLASTER (POP) & CASTS, BEDDINGS, SANITARY NAPKINS/CLOTHS, DISPOSABLE DIAPERS, EAR BUDS, DISCARDED MEDICINES	Yes	Yes	
2	RED-PLASTIC BAG (AUTOCLAVE WASTE)	DISPOSABLE ITEMS- PLASTICS, USED PLASTIC MATERIAL, TUBINGS, CATHETERS, I- V SETS, SYRINGES WITHOUT NEEDLES, GLOVES, BLOOD BAGS, APRONS, MASKS, URINE BAGS	Yes	Yes	
3	WHITE -PLASTIC BOX (SHARPS)	SHARPS-VIALS, NEEDLES, CUT GLASSES, SCALPELS, SLIDES, NAILS (METALLIC), LANCETS, BLADES	Yes	Yes	
4	WHITE PLASTIC BOX/CARDBOARD BOX WITH BLUE COLOUR MARKING (GLASSWARE)	GLASSWARE-BROKEN, DISCARDED AND CONTAMINATED GLASS INCLUDING MEDICINE VIALS/AMPULES, METALIC BODYIMPLANTS	Yes	Yes	

AS PER MINISTRY OF ENVIRONMENT AND FORESTS, GOVT. OF INDIA, NEW DELHI
CENTRAL/STATE POLLUTION CONTROL BOARDS & MUNICIPAL CORPORATIONS

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

DEPARTMENT: oral pathology.

1. FLOOR CLEANING

DATE: 21/8/23

TIME OF CLEANING		HOUSE KEEPING INCHARGE SIGNATURE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
MORNING	NOON		
9:30am.	2:00p.m.	<i>[Signature]</i>	<i>[Signature]</i>

2. CLEANING - DENTAL CHAIR

CHEMICAL /DISINFECTANT USED	CLEANED AFTER EACH PATIENT (YES/NO)	ATTENDER INCHARGE (SIGNATURE)	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
		<i>[Signature]</i>	<i>[Signature]</i>

3. MANUAL CLEANING OF INSTRUMENTS

Sl.No.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE	SIGNATURE OF THE STAFF INCHARGE /HICC MEMBER.
1	2 Kidney tray		2:30 p.m.	<i>[Signature]</i>	
2	2 scale				
3	1 forcep				
4	1 BP handle.				

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

4. STERILIZATION LOG SHEET

Sl.No	SET OF INSTRUMENTS	TIME			TEMP: C / F	PRESSURE	TEMP.SENSITIVE INDICATOR (COLOUR CHANGE OBSERVED) (Y/N)	OPERATORS SIGNATURE	SIGNATURE OF THE STAFF INCHARGE /HICC MEMBER.
		START	END	CYCLE LENGTH					
1	2 Kidney tray	2:30 p.m.	3:00 p.m.	30min	121°C	30m	N	<i>[Signature]</i>	
2	2 scale								
3	1 forcep								
4	1 BP handle.								

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

DEPARTMENT: cos & aud

DATE: 5/18/23

1. FLOOR CLEANING

TIME OF CLEANING		HOUSE KEEPING INCHARGE SIGNATURE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
MORNING	NOON	<u>KMAY NAVEEN</u>	<u>[Signature]</u>
<u>Y</u>	<u>Y</u>	<u>SEU</u>	<u>[Signature]</u>

2. CLEANING - DENTAL CHAIR

CHEMICAL /DISINFECTANT USED	CLEANED AFTER EACH PATIENT (YES/NO)	ATTENDER INCHARGE (SIGNATURE)	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
<u>Bacitral</u>	<u>Y</u>	<u>KMAY NAVEEN</u>	<u>[Signature]</u>

3. MANUAL CLEANING OF INSTRUMENTS

S.No.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE	SIGNATURE OF THE STAFF INCHARGE /HICC MEMBER.
1	<u>OP instrument</u>	<u>Hexidine</u>	<u>9:30 AM</u>		<u>[Signature]</u>
2	<u>U</u>	<u>Hexidine</u>	<u>10:30 AM</u>		
3	<u>U</u>	<u>Hexidine</u>	<u>1:30 PM</u>		
4	<u>U</u>	<u>Hexidine</u>	<u>2:30 PM</u>		

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

[Signature]

4. STERILIZATION LOG SHEET


S/NO	SET OF INSTRUMENTS	TIME			TEMP. C / F	PRESSURE	TEMP SENSITIVE INDICATOR (COLOUR CHANGE OBSERVED) (Y/N)	OPERATORS SIGNATURE	SIGNATURE OF THE STAFF INCHARGE (HIC MEMBER)
		START	END	CYCLE LENGTH					
1	OP set - 30 UV set - 20 PU set - 20	9:30	10:30	1hr	121	Y			
2	OP set - 30 UV set - 30 PU set - 20	10:30	11:30	1hr	121	Y			
3	OP set - 30 UV set - 20 PU set - 20	1:30	2:30	1hr	121	Y			
4	OP set - 30 PU set - 20 UV set - 20	2:30	3:30	1hr	121	Y			

PREPARED AND APPROVED BY HIC: RVDC-2017 - Revised on July 2019


 Department of Conservative Dentistry
 & Endodontics

D.A.P.M.A.V.D.R. (M.B.B.S.) , EGGI & HOSPITAL
 CA 37, 2nd Floor, Jeeva JP Nagar
 CHENNAI - 600 032

5. BIOMEDICAL WASTE HANDLING NEW RULES-2016

SL.NO.	COLOUR CODE AND TYPE OF CONTAINER	TYPE OF WASTE	PROPER DISPOSAL OF WASTE YES/NO	HANDED OVER TO MARIDI ECO INDUSTRIES YES/NO, TIME	SIGNATURE OF THE SUPERVISOR
1	YELLOW-PLASTIC BAG (INCINERABLE WASTE)	INFECTED WASTE, ANATOMICAL PARTS AND LAB WASTE- HUMAN TISSUES-BODY PARTS/PLACENTA, NAILS (HANDS & TOES), FETUS (WITHIN 12 WEEKS OF PREGNANCY), SPECIMENS, SURGICAL WASTE, COTTON & BANDAGES, LINEN & DRESSINGS, SOLID PLASTER (POP) & CASTS, BEDDINGS, SANITARY NAPKINS/CLOTHS, DISPOSABLE DIAPERS, EAR BUDS, DISCARDED MEDICINES	Yes	Yes	
2	RED-PLASTIC BAG (AUTOCLAVE WASTE)	DISPOSABLE ITEMS- PLASTICS, USED PLASTIC MATERIAL, TUBINGS, CATHETERS, I-V SETS, SYRINGES WITHOUT NEEDLES, GLOVES, BLOOD BAGS, APRONS, MASKS, URINE BAGS	Yes	Yes	
3	WHITE-PLASTIC BOX (SHARPS)	SHARPS- VIALS, NEEDLES, CUT GLASSES, SCALPELS, SLIDES, NAILS (METALLIC), LANCETS, BLADES	Yes	Yes	
4	WHITE PLASTIC BOX/CARDBOARD BOX WITH BLUE COLOUR MARKING (GLASSWARE)	GLASSWARE-BROKEN, DISCARDED AND CONTAMINATED GLASS INCLUDING MEDICINE VIALS/SAMPLES, METALLIC BODY/IMPLANTS	Yes	Yes	

AS PER MINISTRY OF ENVIRONMENT AND FORESTS, GOVT. OF INDIA, NEW DELHI
CENTRAL/STATE POLLUTION CONTROL BOARDS & MUNICIPAL CORPORATIONS

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019



Department of Conservative Dentistry
& Endodontics
D.A.P.M.R.V. DENTAL COLLEGE & HOSPITAL
CA 37, 24th Main, 1st Phase J.P. Nagar
BANGALORE - 560 078

TIME OF CLEANING		1. FLOOR CLEANING		HOUSE KEEPING INCHARGE SIGNATURE		DATE: 7/11/19	
MORNING	NOON						
8:00	12:00			120288a			

CHEMICAL/DISINFECTANT USED		2. CLEANING - DENTAL CHAIR		SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.	
		CLEANED AFTER EACH PATIENT (YES/NO)	ATTENDER INCHARGE (SIGNATURE)		
		Yes	Dingus		

3. MANUAL CLEANING OF INSTRUMENTS							
S/NO.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.		
1	Math mirror, Probe tweezers	8:00	8:30	Dingus			
2	Biopds & kit	9:00	9:30	Dingus			
3	TOPAR film Holder						
4							

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

4. STERILIZATION LOG SHEET

S/NO.	SET OF INSTRUMENTS	TIME			TEMP. C / F	PRESSURE	TEMP SENSITIVE INDICATOR (COLOUR CHANGE OBSERVED) (Y/N)	OPERATORS SIGNATURE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
		START	END	CYCLE LENGTH					
10	Math mirror, Probe tweezers	8:00	8:30	30 min	121°	31061 m3	Yes	Dingus	
	Biopds & kit	9:00	9:30	30 min	121°	31061 m3	Yes	Dingus	
	TOPAR film Holder.								

[Handwritten signature]

DEPARTMENT: OTDR

TIME OF CLEANING

MORNING 8:00 NOON 12:00

1. FLOOR CLEANING

HOUSE KEEPING INCHARGE

Shogren

DATE: 11/21/13

SIGNATURE OF THE STAFF INCHARGE

[Signature]

CHEMICAL/DISINFECTANT USED

Bleach

2. CLEANING - DENTAL CHAIR

CLEANED AFTER EACH PATIENT (Y/N)

Yes

ATTENDER INCHARGE SIGNATURE

Dingus

SIGNATURE OF THE STAFF INCHARGE

[Signature]

3. MANUAL CLEANING OF INSTRUMENTS

S/NO.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE SIGNATURE	SIGNATURE OF THE STAFF INCHARGE MEMBER.
1	Mouth mirror, Probe, Explorer, Bopble kit	8:00	8:30	<u>Dingus</u>	<u>[Signature]</u>
2	TOPAR film holder	9:00	9:30	<u>Dingus</u>	<u>[Signature]</u>
3					
4					

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

4. STERILIZATION LOG SHEET

S/NO	SET OF INSTRUMENTS	TIME			TEMP. C / F	PRESSURE	TEMP. SENSITIVE INDICATOR (COLOUR CHANGE OBSERVED) (Y/N)	OPERATORS SIGNATURE	SIGNATURE OF THE STAFF INCHARGE MEMBER.
		START	END	CYCLE LENGTH					
1	Mouth mirror, Probes, Explorers, Bopble kit	8:00	8:30	30 min	121° C	31061 _{mm}	<u>Yes</u>	<u>Dingus</u>	<u>[Signature]</u>
2	TOPAR film holder	9:00	9:30	30 min	121° C	31061 _{mm}	<u>Yes</u>	<u>Dingus</u>	<u>[Signature]</u>
3									
4									

[Handwritten signature]

5. BIOMEDICAL WASTE HANDLING NEW RULES-2016

Sl. No.	COLOUR CODE AND TYPE OF CONTAINER	TYPE OF WASTE	DISPOSABLE WASTE (YES/NO)	HANDLED OVER TO INDUSTRY (YES/NO, TIME)	SIGNATURE OF THE SUPERVISOR
1	YELLOW PLASTIC BAG (INCINERABLE WASTE)	INFECTED WASTE, ANATOMICAL PARTS AND LAB WASTE - NAILS (HANDS & NODDY PARTS), ACENTINATED (PRESERVACY), SPECIMENS, NITROGEN 12 WHEELS OF & CASTS, BEDDING & DRESSINGS, SOLID PLATE, COTTON & DISPOSABLE DIAPHERS, SANITARY HANKING (COTTON) MEDICINES	Yes	Yes	
2	RED PLASTIC BAG (AUTOCLAVE WASTE)	DISPOSABLE ITEMS: PLASTIC, USED PLASTIC: SERIAL, TUBINGS, CATHETERS, I-VEGERS, SYRINGES, MASKS, URINE BAGS	Yes	Yes	
3	WHITE PLASTIC BOX (SHARPS)	SHARPS: VIALS, NEEDLES, CUT GLASSES, SCALPELS, SLIDES, NAILS (METALLIC), LANCETS, BLADES	Yes	Yes	
4	WHITE PLASTIC BOX/CARDBOARD BOX WITH BLUE COLOUR MARKING (GLASSWARE)	GLASSWARE-BROKEN, DISCARDED AND CONTAMINATED GLASS INCLUDING MEDICINE VIALS/SAMPLES, METALLIC BODYIMPLANTS	Yes	Yes	

AS PER MINISTRY OF ENVIRONMENT AND FORESTS, GOVT OF INDIA, NEW DELHI CENTRAL/STATE POLLUTION CONTROL BOARDS & MUNICIPAL CORPORATIONS

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

DEPARTMENT: OMPR

DATE: 14/12/2019

1. FLOOR CLEANING

TIME OF CLEANING	HOUSE KEEPING INCHARGE SIGNATURE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
MORNING		
8:00	<i>Bhargava</i>	<i>DR</i>

2. CLEANING - DENTAL CHAIR

CHEMICAL /DISINFECTANT USED	CLEANED AFTER EACH PATIENT (YES/NO)	ATTENDER INCHARGE (SIGNATURE)	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
<i>Bacillus</i>	Yes	<i>Digra S</i>	<i>DR</i>

3. MANUAL CLEANING OF INSTRUMENTS

Sl.No.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
1	Mouth mirror, Round tweezers	8:00	8:30	<i>Digra S</i>	<i>DR</i>
2	TOPAR Lion Holders	9:00	9:30	<i>Digra S</i>	<i>DR</i>
3					
4					

DEPARTMENT: Dental

1. FLOOR CLEANING

TIME OF CLEANING	HOUSE KEEPING INCHARGE SIGNATURE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
MORNING		
NOON		
8:15		

DATE: 19/7/23

2. CLEANING - DENTAL CHAIR

CHEMICAL/DISINFECTANT USED	CLEANED AFTER EACH PATIENT (YES/NO)	ATTENDER INCHARGE (SIGNATURE)	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
<u>Bleach + Combi gel</u>	<u>Yes</u>	<u>[Signature]</u>	

3. MANUAL CLEANING OF INSTRUMENTS

S.NO.	SET OF INSTRUMENTS	CHEMICAL / DISINFECTANT USED AND IMMERSION TIME	TIME OF THE DAY	ATTENDER INCHARGE	SIGNATURE OF THE STAFF INCHARGE / HICC MEMBER.
1	<u>Orthodontic mouth mirrors, cheek retractor, orthodontic pliers</u>	<u>Alusol, 30min</u>	<u>8:15</u>	<u>[Signature]</u>	<u>[Signature]</u>
2	<u>Orthodontic mouth mirrors, cheek retractor, orthodontic pliers</u>	<u>Alusol, 30min</u>	<u>10:15</u>	<u>[Signature]</u>	<u>[Signature]</u>
3	<u>Orthodontic mirror, mouth mirror, cheek retractor</u>	<u>Alusol, 30min</u>	<u>10:15</u>	<u>[Signature]</u>	<u>[Signature]</u>
4					

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

4. STERILIZATION LOG SHEET


S/NO	SET OF INSTRUMENTS	TIME			TEMP. C / F	PRESSURE	TEMP SENSITIVE INDICATOR (COLOUR CHANGE OBSERVED) (Y/N)	OPERATORS SIGNATURE	SIGNATURE OF THE STAFF INCHARGE HICC MEMBER.
		START	END	CYCLE LENGTH					
1	<u>Orthodontic pliers & diagnostic instruments.</u>	<u>8:15</u>	<u>8:30</u>	<u>15min</u>	<u>120</u>	<u>201k</u>	<u>Yes</u>	<u>[Signature]</u>	<u>[Signature]</u>
2	<u>Orthodontic pliers & diagnostic instruments</u>	<u>01:15</u>	<u>01:50</u>	<u>15min</u>	<u>120</u>	<u>201k</u>	<u>Yes</u>	<u>[Signature]</u>	<u>[Signature]</u>
3	<u>Orthodontic pliers & diagnostic instruments.</u>	<u>12:15</u>	<u>12:15</u>	<u>15min</u>	<u>120</u>	<u>201k</u>	<u>Yes</u>	<u>[Signature]</u>	<u>[Signature]</u>
4									

[Signature]

[Signature]

DR. AKSHAI SHETTY K R
 BDS, MDS, MOrth RCSEd, FCO
 Professor and H.O.D
 Dept. Of Orthodontics &
 Dental Facial Orthopedics
 D.A.P.M.R.V. Dental College

5. BIOMEDICAL WASTE HANDLING NEW RULES-2016

SL.NO.	COLOUR CODE AND TYPE OF CONTAINER	TYPE OF WASTE	PROPER DISPOSAL OF WASTE YES/NO	HANDED OVER TO MAJORS ECO INDUSTRIES YES/NO, TIME	SIGNATURE OF THE SUPERVISOR
1	YELLOW-PLASTIC BAG (INCINERABLE WASTE)	INFECTED WASTE, ANATOMICAL PARTS AND LAB WASTE- HUMAN TISSUES-BODY PARTS/PLACENTA, NAILS (HANDS & TOES), FETUS (WITHIN 12 WEEKS OF PREGNANCY), SPECIMENS, SURGICAL WASTE, COTTON & BANDAGES, LINEN & DRESSINGS, SOLID PLASTER (POP) & CASTS, BEDDINGS, SANITARY NAPKINS/CLOTHS, DISPOSABLE DIAPERS, EAR BUDS, DISCARDED MEDICINES	Yes	Yes	
2	RED-PLASTIC BAG (AUTOCLAVE WASTE)	DISPOSABLE ITEMS- PLASTICS, USED PLASTIC MATERIAL, TUBINGS, CATHETERS, I-V SETS, SYRINGES WITHOUT NEEDLES, GLOVES, BLOOD BAGS, APRONS, MASKS, URINE BAGS	Yes	Yes	
3	WHITE -PLASTIC BOX (SHARPS)	SHARPS-VIALS, NEEDLES, CUT GLASSES, SCALPELS, SLIDES, NAILS (METALLIC), LANCETS, BLADES	Yes	Yes	
4	WHITE PLASTIC BOX/CARDBOARD BOX WITH BLUE COLOUR MARKING (GLASSWARE)	GLASSWARE-BROKEN, DISCARDED AND CONTAMINATED GLASS INCLUDING MEDICINE VIALS/AMPULES, METALLIC BODYIMPLANTS	Yes	Yes	

AS PER MINISTRY OF ENVIRONMENT AND FORESTS, GOVT OF INDIA, NEW DELHI
CENTRAL/STATE POLLUTION CONTROL BOARDS & MUNICIPAL CORPORATIONS

PREPARED AND APPROVED BY HICC-RVDC-2017 - Revised on July 2019

